ELSEVIER

Volume 240, Numbers 1–2, 1 July 1996

Journal of ALLOYS AND COMPOUNDS

Contents

Letters

Room temperature catalytic ammonia synthesis over an AB_5-type intermetallic hydride L1
H.-Y. Zhu (Hangzhou, People's Republic of China)

Synthesis and characterization of single Bi–O layered cuprate $(Bi,Cd)Sr_2YCu_2O_{7-\delta}$ L4
W. Tang (Beijing, People's Republic of China), J. Liang (Beijing and Shenyang, People's Republic of China), J. Yang, G. Rao (Beijing, People's Republic of China)

Chemistry

High-temperature electrochemical synthesis and properties of intermetallic compounds of the Ni–Sc system. Part 3. Synthesis of intermetallic compounds of the Ni–Sc system in molten salts by currentless transfer. Part 4. Electrochemical synthesis of the intermetallic compounds of the Ni–Sc system 1
A. Kononov, E. Polyakov (Apatity, Russia)

The ternary thorium aluminium carbides $Th_2Al_2C_3$ and $ThAl_4C_4$ 9
T.M. Gesing, W. Jeitschko (Münster, Germany)

The crystal structure of the novel ternary silicide $Sm_4Pd_4Si_3$ 16
Yu.M. Prots' (L'viv, Ukraine), J. Stepien'-Damm (Wroclaw, Poland), P.S. Salamakha, O.Ya. Oleksyn, O.L. Sologub, O.I. Bodak (L'viv, Ukraine)

Na_3As revisited II. Space group confirmation and structure refinement at 150, 210 and 240 K 19
K.-J. Range, R. Ehrl, P. Hafner (Regensburg, Germany)

Crystal structures and structural relationships of $KFe_2(SeO_2OH)(SeO_3)_3$ and $SrCo_2(SeO_2OH)_2(SeO_3)_2$ 25
G. Giester, M. Wildner (Vienna, Austria)

Preparation and crystal structure of a new barium silicon nitride, $Ba_5Si_2N_6$ 33
H. Yamane, F.J. DiSalvo (Ithaca, NY, USA)

Synthesis and structure of $TlCuTiTe_3$ 37
M.A. Pell, J.A. Ibers (Evanston, IL, USA)

The ternary system Au–Co–Sn and the crystal structure of $AuCo_{2(1-u)}Sn_4$ 42
A. Neumann, A. Kjekshus, C. Rømming, E. Røst (Oslo, Norway)

Preparation and structural characterization of perovskite-type $La_xLn''_{1-x}CoO_3$ by the thermal decomposition of heteronuclear complexes, $La_xLn''_{1-x}[Co(CN)_6]\cdot nH_2O$ (Ln'' = Sm and Ho) 51
Y. Sadaoka (Matsuyama, Japan), E. Traversa (Rome, Italy), M. Sakamoto (Yamagata, Japan)

Synthesis, structural characterisation and magnetic properties of $Gd_{14}W_4O_{33-x}N_y(0 \leqslant x \leqslant 17 \pm 2, 0 \leqslant y \leqslant 9 \pm 2)$, a new fluorite-related oxynitride 60
M. Nilsson, J. Grins, P.-O. Käll, G. Svensson (Stockholm, Sweden)

Electrical properties of magnesium sodium hydrogen monophosphate: $MgNa_3H(PO_4)_2$ 70
N. Zouari (Sfax, Tunisia), M. Ben Amor (Hamman-Lif, Tunisia), T. Mhiri, A. Daoud (Sfax, Tunisia), J.M. Réau (Bordeaux, France)

Effect of alloy composition on enthalpy and entropy changes of hydride formation for stoichiometric and nonstoichiometric hydrogen storage alloys 76
Y. Fukumoto, M. Miyamoto, H. Inoue, M. Matsuoka, C. Iwakura (Osaka, Japan)

Physics

Single crystal structure refinement and high-pressure properties of CoSn 79
A.K. Larsson (Lund, Sweden), M. Haeberlein (Stockholm, Sweden), S. Lidin (Lund, Sweden), U. Schwarz (Stuttgart, Germany)

Elsevier Science S.A.

A neutron diffraction study of $CeNi_{0.84}Sn_2$ 85
P. Schobinger-Papamantellos (Zürich, Switzerland), J. Rodríguez-Carvajal (Gif-sur-Yvette, France), K.H.J. Buschow (Amsterdam, Netherlands)

ESR bottleneck effect in dilute $Gd_{1-x}La_xT_2Si_2$ (T = Cu, Ni) systems 88
K. Kaczmarska (Katowice, Poland)

New clues for understanding the magnetic behavior of UPt_3 96
W. Trinkl, S. Corsépius (Augsburg, Germany), G.R. Stewart (Augsburg, Germany and Gainesville, FL, USA)

Magnetocrystalline anisotropy and exchange interactions in the novel $R_3(Fe, V)_{29}$ compounds (R = Y, Nd, Sm) 101
Ye.V. Shcherbakova, G.V. Ivanova, M.I. Bartashevich, V.I. Khrabrov, Ye.V. Belozerov (Ekaterinburg, Russia)

Investigation of the electronic structure of the new quaternary hydride $PdSr_2LiH_5$ 107
E. Orgaz, M. Gupta (Orsay, France)

On the magnetic and valence properties of Ce–Mg–Y compounds 116
H. Flandorfer (Wien, Austria and Orsay, France), A. Kostikas (Athens, Greece), P. Rogl (Wien, Austria), C. Godart (Meudon and Orsay, France), M. Giovannini, A. Saccone, R. Ferro (Genova, Italy)

Pressure induced magnetic phase transition in Fe_3Pt 124
M. Rajagopalan (Madras, India), A. Kashyap, S. Auluck (Roorkee, India), G. Kalpana (Madras, India)

Crystal structure of the uranium monosilicide USi 128
T. Le Bihan, H. Noël (Rennes, France), P. Rogl (Wien, Austria)

Structural and magnetic properties of $Nd_3(Fe,Ti)_{29}C_x$ carbide 134
M. Gjoka, O. Kalogirou, V. Psycharis, D. Niarchos (Attiki, Greece)

Magnetic ordering in ternary RMn_2Ge_2 compounds (R = Tb, Ho, Er, Tm, Lu) from neutron diffraction study 139
G. Venturini, B. Malaman (Vandoeuvre les Nancy, France), E. Ressouche (Grenoble, France)

Magnetic properties of R_2CoGa_3 (R = rare earth) compounds 151
Ch.D. Routsi, J.K. Yakinthos (Xanthi, Greece), A. Garnier, D. Gignoux, F. Lionti, D. Schmitt (Grenoble, France)

Electronic state and magnetism of the rare-earth carbide GdC_x ($x \simeq 0.33$) 156
J. Shi, H. Izumi, K. Machida, G. Adachi (Osaka, Japan)

Magnetic ordering in HoCoSi and TbCoGe 164
J. Leciejewicz (Warsaw, Poland), N. Stüsser (Berlin, Germany), M. Kolenda, A. Szytuła (Kraków, Poland), A. Zygmunt (Wrocław, Poland)

Relaxational behaviour and spin freezing in ferrates with iron in a pyramidal oxygen coordination 170
G. Filoti, A. Avramescu (Bucharest, Romania), B. Seling, C. Schinzer, A. Ehmann, S. Kemmler-Sack (Tübingen, Germany), M. Rosenberg (Bochum, Germany)

Experimental measurement of pre-melting and melting of thorium dioxide 179
C. Ronchi, J.P. Hiernaut (Karlsruhe, Germany)

Materials Science

XPS, TEM and SAD investigations of nanosized $Co_xB_yH_z$ particles obtained by two different borohydride methods . . . 186
V. Krastev, M. Stoycheva, E. Lefterova, I. Dragieva, Z. Stoynov (Sofia, Bulgaria)

The effects of process control agents on mechanical alloying mechanisms in the Ti–Al system 193
W. Lee, S.I. Kwun (Seoul, South Korea)

Structure and magnetic properties of mechanically milled $Nd_{2x}Fe_{100-3x}B_x$ ($x = 2$–6) 200
W.F. Miao, J. Ding, P.G. McCormick, R. Street (Nedlands, Australia)

Mechanically milled Mg composites for hydrogen storage. The transition to a steady state composition 206
K.J. Gross, P. Spatz, A. Züttel, L. Schlapbach (Fribourg, Switzerland)

Hydrogen storage properties of $TiMn_2$-based alloys 214
B.-H. Liu, D.-M. Kim, K.-Y. Lee, J.-Y. Lee (Taejon, South Korea)

Improvement of the electrochemical activity of Zr–Ni–Cr Laves phase hydride electrodes by secondary phase precipitation 219
J.-M. Joubert, M. Latroche, A. Percheron-Guégan (Meudon, France), J. Bouet (Marcoussis, France)

Synthesis and electrode characteristics of the new composite alloys Mg_2Ni–$x$wt.%Ti_2Ni 229
N. Cui, B. Luan, H.J. Zhao, H.K. Liu, S.X. Dou (Wollongong, Australia)

Metallurgy

Hydrogen-induced phase separation in Pd–Rh alloys 235
H. Noh, J.D. Clewley, T.B. Flanagan (Burlington, VT, USA), A.P. Craft (Easton, PA, USA)

Study of the interaction of Pt and Rh with Nb or Ta 249
G.P. Zhmurko, V.N. Kuznetsov, K.B. Kalmykov, T.G. Murzagareev (Moscow, Russia)

Crystal structure of $Zr_9Co_7In_{14}$ 253
V.I. Zaremba, L.D. Gulay, Ya.M. Kalychak, O.I. Bodak (Lviv, Ukraine), J. Stępień-Damm (Wrocław, Poland)

Amorphization of Al–Cu–Fe quasicrystalline alloys by mechanical milling 256
F.X. Zhang (Beijing, People's Republic of China), W.K. Wang (Shengyang, People's Republic of China)

A cubic $AuBe_5$-type $YbCu_5$ phase with trivalent Yb ion 261
J. He, N. Tsujii, M. Nakanishi, K. Yoshimura, K. Kosuge (Kyoto, Japan)

Structure of $Y_3TaNi_{6+x}Al_{26}$: a filled-up substitution variant of the $BaHg_{11}$ type 266
R.E. Gladyshevskii, K. Cenzual (Geneva, Switzerland)

Phase diagrams and thermodynamic properties of rare earth–bismuth systems 272
M.N. Abdusalyamova, A.G. Chuiko, E.I. Shishkin, O.I. Rachmatov (Dushanbe, Tajikistan)

Metastable Ti–Ni–Fe–Si alloys prepared by mechanical alloying 278
D. Bahadur, R.A. Dunlap (Halifax, Canada), M. Foldeaki (Trois-Rivières, Canada)

Author Index of Volume 240 285

Subject Index of Volume 240 287

The publisher encourages the submission of articles in electronic form thus saving time and avoiding rekeying errors. A leaflet describing our requirements is available from the publisher upon request.